

Ready. Set. Enroll.

We're right here, right when you need us

INDICATIONS

AMJEVITA is a prescription medicine used:

- To reduce the signs and symptoms of:
 - **Moderate to severe rheumatoid arthritis (RA) in adults.** AMJEVITA can be used alone, with methotrexate, or with certain other medicines. AMJEVITA may prevent further damage to your bones and joints and may help your ability to perform daily activities.
 - **Moderate to severe polyarticular juvenile idiopathic arthritis (JIA) in children** 2 years of age and older. AMJEVITA can be used alone or with methotrexate.
 - **Psoriatic arthritis (PsA) in adults.** AMJEVITA can be used alone or with certain other medicines. AMJEVITA may prevent further damage to your bones and joints and may help your ability to perform daily activities.
 - **Ankylosing spondylitis (AS) in adults.**
 - **Moderate to severe hidradenitis suppurativa (HS) in adults.**

Please see additional Important Safety Information throughout and click here for [Prescribing Information](#) and [Medication Guide](#).

- To treat moderate to severe Crohn's disease (CD) in adults and children 6 years of age and older.
- To treat moderate to severe ulcerative colitis (UC) in adults. It is not known if adalimumab products are effective in people who stopped responding to or could not tolerate TNF-blocker medicines.
- To treat moderate to severe chronic plaque psoriasis (PsO) in adults who are ready for systemic therapy or phototherapy, and are under the care of a doctor who will decide if other systemic therapies are less appropriate.
- To treat non-infectious intermediate (middle part of the eye), posterior (back of the eye) and panuveitis (all parts of the eye) in adults.

SELECT IMPORTANT SAFETY INFORMATION

What is the most important information I should know about AMJEVITA?

You should discuss the potential benefits and risks of AMJEVITA with your doctor. AMJEVITA is a TNF blocker medicine that can lower the ability of your immune system to fight infections. You should not start taking AMJEVITA if you have any kind of infection unless your doctor says it is okay.



Your support doesn't end once your doctor has written your prescription

Ready.

With personalized solutions, Amgen® SupportPlus is here to help

[Learn about Amgen SupportPlus](#)

Set.

Financial support resources and other helpful patient services to help you along your AMJEVITA™ treatment journey

[Financial support](#)
[Amgen® Nurse Partners](#)
[Helpful resources](#)

Enroll.

Access the full suite of Amgen SupportPlus resources available to you

[3 ways to enroll](#)

SELECT IMPORTANT SAFETY INFORMATION (cont'd)

- **Serious infections have happened in people taking adalimumab products. These serious infections include tuberculosis (TB) and infections caused by viruses, fungi, or bacteria that have spread throughout the body. Some people have died from these infections.** Your doctor should test you for TB before starting AMJEVITA, and check you closely for signs and symptoms of TB during treatment with AMJEVITA, even if your TB test was negative. If your doctor feels you are at risk, you may be treated with medicine for TB.
 - **Cancer.** For children and adults taking TNF blockers, including AMJEVITA, the chance of getting lymphoma or other cancers may increase. There have been cases of unusual cancers in children, teenagers, and young adults using TNF blockers. Some people have developed a rare type of cancer called hepatosplenic T-cell lymphoma. This type of cancer often results in death. If using TNF blockers including AMJEVITA, your chance of getting two types of skin cancer (basal cell and squamous cell) may increase. These types are generally not life-threatening if treated; tell your doctor if you have a bump or open sore that doesn't heal.
- Please see additional Important Safety Information throughout and click here for [Prescribing Information](#) and [Medication Guide](#).



+ Ready.

AMGEN® Support⁺



If you have private or commercial insurance that you get from your employer or buy directly from a health insurance company, you may be eligible to **pay as little as \$0*** **out-of-pocket for each dose** with the **AMJEVITA™ Co-Pay Program**



Dedicated **Amgen® Nurse Partners[†]** will be with you along the way to offer **supplemental injection support** and provide information about resources to help you access **AMJEVITA**



We have resources designed to help you understand and access your **AMJEVITA** prescription

*Eligibility criteria and program maximums apply. See AmgenSupportPlus.com/copay-terms for full Terms and Conditions.

†Amgen Nurse Partners are only available to patients that are prescribed certain Amgen products. They are not part of your treatment team and do not provide medical advice, nursing, or case management services. Amgen Nurse Partners will not inject patients with Amgen medications. Patients should always consult their healthcare provider regarding medical decisions or treatment concerns.

SELECT IMPORTANT SAFETY INFORMATION (cont'd)

What should I tell my doctor BEFORE starting AMJEVITA?

Tell your doctor about all of your health conditions, including if you:

- Have an infection, are being treated for infection, or have symptoms of an infection
- Get a lot of infections or infections that keep coming back
- Have diabetes
- Have TB or have been in close contact with someone with TB, or were born in, lived in, or traveled where there is more risk for getting TB

Please see additional Important Safety Information throughout and click here for [Prescribing Information](#) and [Medication Guide](#).

- Live or have lived in an area (such as the Ohio and Mississippi River valleys) where there is an increased risk for getting certain kinds of fungal infections, such as histoplasmosis, coccidioidomycosis, or blastomycosis. These infections may happen or become more severe if you use AMJEVITA. Ask your doctor if you are unsure if you have lived in these areas
- Have or have had hepatitis B
- Are scheduled for major surgery
- Have or have had cancer
- Have numbness or tingling or a nervous system disease such as multiple sclerosis or Guillain-Barré syndrome
- Have or had heart failure



Set.

Financial Support

AMJEVITA™ Co-Pay Program

- Pay as little as \$0* out-of-pocket for each dose
- Can be applied to deductible, co-insurance, and co-payment*
- Support available regardless of income level



Enroll today: AMJEVITASupport.com

What if I don't have private or commercial insurance (eg, self purchased or through an employer)?

Government Insurance: If you have government insurance like Medicare, an **Amgen® SupportPlus Representative** can provide information about resources that may be able to help lower your out-of-pocket costs.

Uninsured/underinsured: If you are uninsured or underinsured, **Amgen® Safety Net Foundation** is a nonprofit patient assistance program sponsored by Amgen® that helps qualifying patients access Amgen medicines at no cost.

Visit AmgenSafetyNetFoundation.com to learn more.

*Eligibility criteria and program maximums apply. See AmgenSupportPlus.com/copay-terms for full Terms and Conditions.

SELECT IMPORTANT SAFETY INFORMATION (cont'd)

What should I tell my doctor BEFORE starting AMJEVITA? (cont'd)

- Have recently received or are scheduled to receive a vaccine. AMJEVITA patients may receive vaccines, except for live vaccines. Children should be brought up to date on all vaccines before starting AMJEVITA
- Are allergic to any AMJEVITA ingredients
- Are pregnant, planning to become pregnant, breastfeeding, or planning to breastfeed

Please see additional Important Safety Information throughout and click here for [Prescribing Information](#) and [Medication Guide](#).



- Have a baby and you were using AMJEVITA during your pregnancy. Tell your baby's doctor before your baby receives any vaccines

Also tell your doctor about all the medicines you take. You should not take AMJEVITA with ORENCIA® (abatacept), KINERET® (anakinra), REMICADE® (infliximab), ENBREL® (etanercept), CIMZIA® (certolizumab pegol), or SIMPONI® (golimumab). Tell your doctor if you have ever used RITUXAN® (rituximab), IMURAN® (azathioprine), or PURINETHOL® (mercaptopurine, 6-MP).



+ Set.

Amgen® Nurse Partners*

Amgen Nurse Partners can offer supplemental support and provide information about resources to help you access **AMJEVITA™**

- Supplemental injection education and support
- Assistance to help you stay on track with your medication
- Guidance on resources that may help lower out-of-pocket costs
- Answers to your questions about Amgen® SupportPlus

[Watch our helpful videos and learn more about your AMJEVITA treatment](#)

*Amgen Nurse Partners are only available to patients that are prescribed certain Amgen products. They are not part of your treatment team and do not provide medical advice, nursing, or case management services. Amgen Nurse Partners will not inject patients with Amgen medications. Patients should always consult their healthcare provider regarding medical decisions or treatment concerns.

SELECT IMPORTANT SAFETY INFORMATION (cont'd)

What should I watch for AFTER starting AMJEVITA?

AMJEVITA can cause serious side effects, including:


- **Serious infections.** These include TB and infections caused by viruses, fungi, or bacteria. Symptoms related to TB include a cough, low-grade fever, weight loss, or loss of body fat and muscle.
- **Hepatitis B infection in carriers of the virus.** Symptoms include muscle aches, feeling very tired, dark urine, skin or eyes that look yellow, little or no appetite, vomiting, clay-colored bowel movements, fever, chills, stomach discomfort, and skin rash.

Please see additional Important Safety Information throughout and click here for [Prescribing Information](#) and [Medication Guide](#).

- **Allergic reactions.** Symptoms of a serious allergic reaction include hives, trouble breathing, and swelling of your face, eyes, lips, or mouth.
- **Nervous system problems.** Signs and symptoms include numbness or tingling, problems with your vision, weakness in your arms or legs, and dizziness.
- **Blood problems (decreased blood cells that help fight infections or stop bleeding).** Symptoms include a fever that does not go away, bruising or bleeding very easily, or looking very pale.



My AMJEVITA™ Sureclick Journey Resource Guide



This resource can help support your self injection journey with the 40 mg/0.4 mL AND 80 mg/0.8 mL high concentration formulations (HCF) OF AMJEVITA. What's included?

- **SureClick® autoinjector** overview
- Additional injection support information

Other dosage presentations/forms are also available. Be sure to read and follow the Instructions for Use that comes with your medication.

[Download your guide here](#)

AMJEVITA™ Patient Brochure



Ask your doctor about our patient brochure that can help you:

- Get started on your treatment
- Understand how to take **AMJEVITA**
- Discover helpful resources that are available to you

[Download the AMJEVITA Patient Brochure](#)

SELECT IMPORTANT SAFETY INFORMATION (cont'd)

What should I watch for AFTER starting AMJEVITA? (cont'd)

AMJEVITA can cause serious side effects, including:

- **Heart failure (new or worsening).** Symptoms include shortness of breath, swelling of your ankles or feet, and sudden weight gain.
- **Immune reactions including a lupus-like syndrome.** Symptoms include chest discomfort or pain that does not go away, shortness of breath, joint pain, or rash on your cheeks or arms that gets worse in the sun.

Please see additional Important Safety Information throughout and click here for [Prescribing Information](#) and [Medication Guide](#).

- **Liver problems.** Symptoms include feeling very tired, skin or eyes that look yellow, poor appetite or vomiting, and pain on the right side of your stomach (abdomen). These problems can lead to liver failure and death.
- **Psoriasis (new or worsening).** Symptoms include red scaly patches or raised bumps that are filled with pus.

Call your doctor or get medical care right away if you develop any of the above symptoms.



+ Enroll.

3 ways to enroll



Scan the QR code with your phone's camera to visit AMJEVITASupport.com



Visit AMJEVITASupport.com on your computer or laptop



Click to call [1-888-8AMJEVITA](tel:1-888-8AMJEVITA) (1-888-826-5384) Monday-Friday, 8:00 am-8:00 pm ET

Be sure to save the phone number to your contacts for easy recall

Enroll today to start receiving personalized support designed for you



SELECT IMPORTANT SAFETY INFORMATION (cont'd)

The most common side effects of AMJEVITA include injection site reactions (pain, redness, rash, swelling, itching, or bruising), upper respiratory infections (sinus infections), headaches, and rash. These are not all of the possible side effects with AMJEVITA. Tell your doctor if you have any side effect that bothers you or that does not go away.

Please see additional Important Safety Information throughout and click here for [Prescribing Information](#) and [Medication Guide](#).

Remember, tell your doctor right away if you have an infection or symptoms of an infection, including:

- Fever, sweats, or chills
- Muscle aches
- Cough
- Shortness of breath
- Blood in phlegm
- Weight loss
- Warm, red, or painful skin or sores on your body
- Diarrhea or stomach pain
- Burning when you urinate
- Urinating more often than normal
- Feeling very tired



With personalized solutions, Amgen® SupportPlus is here to help



Learn how you can **pay as little as \$0*** out-of-pocket for each dose with the **AMJEVITA™ Co-Pay Program**



An **Amgen® Nurse Partner[†]** will be available for patients who want supplemental support



Discover additional helpful resources to help you get started

Enroll online at AMJEVITASupport.com

*Eligibility criteria and program maximums apply. See AmgenSupportPlus.com/copay-terms for full Terms and Conditions.

†Amgen Nurse Partners are only available to patients that are prescribed certain Amgen products. They are not part of your treatment team and do not provide medical advice, nursing, or case management services. Amgen Nurse Partners will not inject patients with Amgen medications. Patients should always consult their healthcare provider regarding medical decisions or treatment concerns.


SELECT IMPORTANT SAFETY INFORMATION (cont'd)

If you have any questions about this information, be sure to discuss them with your healthcare provider. You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch, or call 1-800-FDA-1088.

Please see additional Important Safety Information throughout and click here for [Prescribing Information](#) and [Medication Guide](#).



Manufactured by Immunex Corporation
Marketed by Amgen Inc
Thousand Oaks, CA 91320



© 2023 Amgen Inc. All rights reserved.
USA-501-80471