



The first FDA-approved biosimilar for HUMIRA® (adalimumab)

*Proven to have no clinically
meaningful differences in safety
or efficacy*

- AMJEVITA™ is always citrate free

IMPORTANT SAFETY INFORMATION

Serious infections have happened in patients taking adalimumab products. These serious infections include tuberculosis (TB) and infections caused by viruses, fungi, or bacteria that have spread throughout the body. Some patients have died from these infections. AMJEVITA may increase the chance of getting lymphoma, including a rare kind, or other cancers. AMJEVITA can cause other serious side effects including hepatitis B infection in carriers of the virus, allergic reactions, nervous system problems, blood problems, heart failure, certain immune reactions including a lupus-like syndrome, liver problems, and new or worsening psoriasis.

Please see full Indications on page 2 and additional Important Safety Information on pages 5-7.

A familiar path to treatment

INDICATIONS

AMJEVITA is a prescription medicine used:

- **To reduce the signs and symptoms of:**
 - **Moderate to severe rheumatoid arthritis (RA) in adults.** AMJEVITA can be used alone, with methotrexate, or with certain other medicines. AMJEVITA may prevent further damage to your bones and joints and may help your ability to perform daily activities.
 - **Moderate to severe polyarticular juvenile idiopathic arthritis (JIA) in children 2 years of age and older.** AMJEVITA can be used alone or with methotrexate.
 - **Psoriatic arthritis (PsA) in adults.** AMJEVITA can be used alone or with certain other medicines. AMJEVITA may prevent further damage to your bones and joints and may help your ability to perform daily activities.
 - **Ankylosing spondylitis (AS) in adults.**
 - **Moderate to severe hidradenitis suppurativa (HS) in adults.**
- **To treat moderate to severe Crohn's disease (CD) in adults and children 6 years of age and older.**
- **To treat moderate to severe ulcerative colitis (UC) in adults.** It is not known if adalimumab products are effective in people who stopped responding to or could not tolerate TNF-blocker medicines.
- **To treat moderate to severe chronic plaque psoriasis (PsO) in adults** who are ready for systemic therapy or phototherapy, and are under the care of a doctor who will decide if other systemic therapies are less appropriate.
- **To treat non-infectious intermediate** (middle part of the eye), **posterior** (back of the eye), and **panuveitis** (all parts of the eye) **in adults.**

IMPORTANT SAFETY INFORMATION

Serious infections have happened in patients taking adalimumab products. These serious infections include tuberculosis (TB) and infections caused by viruses, fungi, or bacteria that have spread throughout the body. Some patients have died from these infections. AMJEVITA may increase the chance of getting lymphoma, including a rare kind, or other cancers. AMJEVITA can cause other serious side effects including hepatitis B infection in carriers of the virus, allergic reactions, nervous system problems, blood problems, heart failure, certain immune reactions including a lupus-like syndrome, liver problems, and new or worsening psoriasis.

Please see additional Important Safety Information on pages 5-7.

2

AMGEN[®] Support⁺

We're right here,
right when you
need us

Amgen[®] SupportPlus delivers
personalized support that you
can count on.

Flip to page 8 to discover how, or to
learn more call 1-888-836-5384.

AMJEVITA[®]
(adalimumab-atto)
Injection 80mg/0.8mL & 40mg/0.4mL

3

Real-world experience

AMGEVITA®* has been used outside the US for over 4 years

More than 300,000 patients have been prescribed AMGEVITA® outside the US†

*AMJEVITA outside the US is marketed as AMGEVITA.

†Estimated based on units sold as of June 30, 2022.

IMPORTANT SAFETY INFORMATION

What is the most important information I should know about AMJEVITA?

You should discuss the potential benefits and risks of AMJEVITA with your doctor. AMJEVITA is a TNF blocker medicine that can lower the ability of your immune system to fight infections. You should not start taking AMJEVITA if you have any kind of infection unless your doctor says it is okay.

- **Serious infections have happened in people taking adalimumab products. These serious infections include tuberculosis (TB) and infections caused by viruses, fungi, or bacteria that have spread throughout the body. Some people have died from these infections.** Your doctor should test you for TB before starting AMJEVITA, and check you closely for signs and symptoms of TB during treatment with AMJEVITA, even if your TB test was negative. If your doctor feels you are at risk, you may be treated with medicine for TB.
- **Cancer.** For children and adults taking TNF blockers, including AMJEVITA, the chance of getting lymphoma or other cancers may increase. There have been cases of unusual cancers in children, teenagers, and young adults using TNF blockers. Some people have developed a rare type of cancer called hepatosplenic T-cell lymphoma. This type of cancer often results in death. If using TNF blockers including AMJEVITA, your chance of getting two types of skin cancer (basal cell and squamous cell) may increase. These types are generally not life-threatening if treated; tell your doctor if you have a bump or open sore that doesn't heal.

What should I tell my doctor BEFORE starting AMJEVITA?

Tell your doctor about all of your health conditions, including if you:

- Have an infection, are being treated for infection, or have symptoms of an infection
- Get a lot of infections or infections that keep coming back
- Have diabetes
- Have TB or have been in close contact with someone with TB, or were born in, lived in, or traveled where there is more risk for getting TB
- Live or have lived in an area (such as the Ohio and Mississippi River valleys) where there is an increased risk for getting certain kinds of fungal infections, such as histoplasmosis, coccidioidomycosis, or blastomycosis. These infections may happen or become more severe if you use AMJEVITA. Ask your doctor if you are unsure if you have lived in these areas
- Have or have had hepatitis B
- Are scheduled for major surgery
- Have or have had cancer

Please see additional Important Safety Information on pages 6-7.



IMPORTANT SAFETY INFORMATION (CONT'D)

Tell your doctor about all of your health conditions, including if you: (Cont'd)

- Have numbness or tingling or a nervous system disease such as multiple sclerosis or Guillain-Barré syndrome
- Have or had heart failure
- Have recently received or are scheduled to receive a vaccine. AMJEVITA patients may receive vaccines, except for live vaccines. Children should be brought up to date on all vaccines before starting AMJEVITA
- Are allergic to any AMJEVITA ingredients
- Are pregnant, planning to become pregnant, breastfeeding, or planning to breastfeed
- Have a baby and you were using AMJEVITA during your pregnancy. Tell your baby's doctor before your baby receives any vaccines

Also tell your doctor about all the medicines you take.

You should not take AMJEVITA with ORENCIA® (abatacept), KINERET® (anakinra), REMICADE® (infliximab), ENBREL® (etanercept), CIMZIA® (certolizumab pegol), or SIMPONI® (golimumab). Tell your doctor if you have ever used RITUXAN® (rituximab), IMURAN® (azathioprine), or PURINETHOL® (mercaptopurine, 6-MP).

What should I watch for AFTER starting AMJEVITA?

AMJEVITA can cause serious side effects, including:

- **Serious infections.** These include TB and infections caused by viruses, fungi, or bacteria. Symptoms related to TB include a cough, low-grade fever, weight loss, or loss of body fat and muscle.
- **Hepatitis B infection in carriers of the virus.** Symptoms include muscle aches, feeling very tired, dark urine, skin or eyes that look yellow, little or no appetite, vomiting, clay-colored bowel movements, fever, chills, stomach discomfort, and skin rash.
- **Allergic reactions.** Symptoms of a serious allergic reaction include hives, trouble breathing, and swelling of your face, eyes, lips, or mouth.
- **Nervous system problems.** Signs and symptoms include numbness or tingling, problems with your vision, weakness in your arms or legs, and dizziness.
- **Blood problems (decreased blood cells that help fight infections or stop bleeding).** Symptoms include a fever that does not go away, bruising or bleeding very easily, or looking very pale.
- **Heart failure (new or worsening).** Symptoms include shortness of breath, swelling of your ankles or feet, and sudden weight gain.
- **Immune reactions including a lupus-like syndrome.** Symptoms include chest discomfort or pain that does not go away, shortness of breath, joint pain, or rash on your cheeks or arms that gets worse in the sun.

- **Liver problems.** Symptoms include feeling very tired, skin or eyes that look yellow, poor appetite or vomiting, and pain on the right side of your stomach (abdomen). These problems can lead to liver failure and death.
- **Psoriasis (new or worsening).** Symptoms include red scaly patches or raised bumps that are filled with pus.

Call your doctor or get medical care right away if you develop any of the above symptoms.

The most common side effects of AMJEVITA include injection site reactions (pain, redness, rash, swelling, itching, or bruising), upper respiratory infections (sinus infections), headaches, and rash. These are not all of the possible side effects with AMJEVITA. Tell your doctor if you have any side effect that bothers you or that does not go away.

Remember, tell your doctor right away if you have an infection or symptoms of an infection, including:

- Fever, sweats, or chills
- Muscle aches
- Cough
- Shortness of breath
- Blood in phlegm
- Weight loss
- Warm, red, or painful skin or sores on your body
- Diarrhea or stomach pain
- Burning when you urinate
- Urinating more often than normal
- Feeling very tired

If you have any questions about this information, be sure to discuss them with your healthcare provider. You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch, or call 1-800-FDA-1088.

Please see additional Important Safety Information on page 5 and click here for the AMJEVITA full Prescribing Information, including Medication Guide.



Together, we've got this

Welcome to personalized patient support designed for you

With financial support resources and other helpful patient support services, Amgen SupportPlus is here to help you along the way.

Amgen® Nurse Partners



Dedicated Amgen® Nurse Partners* can offer supplemental support to help you on your treatment journey.

- Guidance on resources that may help lower out-of-pocket medication costs
- Assistance to help you stay on track with your medication
- Answers to your questions about Amgen SupportPlus

Get connected with a dedicated Amgen® Nurse Partner by enrolling over the phone 1-888-8AMJEVITA (1-888-826-5384)[†] or online at AMJEVITASupport.com

*Amgen® Nurse Partners are only available to patients that are prescribed certain Amgen products. They are not part of your treatment team and do not provide medical advice, nursing, or case management services. Amgen® Nurse Partners will not inject patients with Amgen medications. Patients should always consult their healthcare provider regarding medical decisions or treatment concerns.

[†]Amgen® Nurse Partners are available Monday-Friday, 8 AM-8 PM EST.



AMJEVITA Co-Pay Program

Eligible patients with private or commercial insurance may pay as little as **\$0*** per month with the AMJEVITA Co-Pay Program.

Visit AMJEVITASupport.com to learn more and enroll today.



Scan here

Our program provides co-pay support with no income eligibility requirements, regardless of your type of commercial healthcare plan.

*Eligibility criteria and program maximums apply. See AmgenSupportPlus.com/copay-terms for full Terms and Conditions. Patients who are not eligible can call 1-888-8AMJEVITA (1-888-826-5384) to discuss whether there are other financial support options available.

Please see Important Safety Information on pages 5-7.



Taking your medication: the essentials

The AMJEVITA SureClick® Autoinjector and Prefilled Syringe are not made with natural rubber latex.

THE SURECLICK® AUTOINJECTOR

The autoinjector is an option to consider if you prefer not to see a needle as you inject. The medicine is injected automatically and does not need to be mixed or prepared.



Image shown represents the AMJEVITA 40 mg/0.4 mL SureClick® Autoinjector. AMJEVITA SureClick® Autoinjectors are also available in other dosages.



The SureClick® Autoinjector has been awarded the Arthritis Foundation's [Ease of Use Certification](#).

Visit [AMJEVITA.com](https://www.amjevita.com) to watch an overview on how to inject with the SureClick® Autoinjector or you can download the My SureClick Journey Resource for a handy guide on injecting.

Please see the SureClick® Autoinjector Instructions for Use for full instructions on how to properly inject with AMJEVITA. It is important for patients to thoroughly review the Instructions for Use. The information in these resources does not replace the Instructions for Use.

THE PREFILLED SYRINGE

Each Prefilled Syringe is a single dose. It comes premixed so there's no need to prepare your medicine.



Image shown represents the AMJEVITA 40 mg/0.4 mL Prefilled Syringe. AMJEVITA Prefilled Syringes are also available in other dosages.

Visit [AMJEVITA.com](https://www.amjevita.com) to watch an overview on how to inject with the Prefilled Syringe or you can download the My Prefilled Syringe Journey Resource for a handy guide on injecting.

Please see the Prefilled Syringe Instructions for Use for full instructions on how to properly inject with AMJEVITA. It is important for patients to thoroughly review the Instructions for Use. The information in these resources does not replace the Instructions for Use.

Remember, Amgen® Nurse Partners are here to support you with any questions you may have about AMJEVITA or the injection process.



Please see Important Safety Information on pages 5-7.





With you along the way

Talk to your doctor to see if AMJEVITA can help.

Results you've come to rely on

As a biosimilar, AMJEVITA is proven to have highly similar safety and effectiveness to HUMIRA.

AMJEVITA is also:

- Citrate-free
- Not made with natural rubber latex



AMJEVITA has been proven to have **no clinically meaningful differences** from HUMIRA.

AMJEVITA is **taken in the same way and works in the same way** as HUMIRA.

Visit AMJEVITA.com to explore how AMJEVITA may be right for you.

IMPORTANT SAFETY INFORMATION

Serious infections have happened in patients taking adalimumab products. These serious infections include tuberculosis (TB) and infections caused by viruses, fungi, or bacteria that have spread throughout the body. Some patients have died from these infections. AMJEVITA may increase the chance of getting lymphoma, including a rare kind, or other cancers. AMJEVITA can cause other serious side effects including hepatitis B infection in carriers of the virus, allergic reactions, nervous system problems, blood problems, heart failure, certain immune reactions including a lupus-like syndrome, liver problems, and new or worsening psoriasis.

[Please click here for the AMJEVITA full Prescribing Information, including Medication Guide.](#)

Reference: AMJEVITA™ (adalimumab-atto) Prescribing Information, Amgen Inc.



Amgen Inc. Thousand Oaks, CA 91320
© 2023 Amgen Inc. All rights reserved.
USA-501-80458